

## Declaration of performance

DoP JPH-010

1. Unique identity code of the product type: **Glued laminated timber spruce without preservative treatment**
2. Intended use: **Building structures and bridges**
3. Manufacturer: **Johann Pabst Holzindustrie  
Holzinnovationszentrum 1  
8740 Zeltweg – Werk 1  
Austria**
4. Authorised representative: **No external authorised representative**
5. System for assessment and examination of consistency of performance: **System 1**
6. Harmonised standard: **EN 14080:2013**  
Notified body: **Nr. 1359-CPR-0633**
7. Declared performances:

Substantial properties	Performance
<b>Mechanical properties as</b>	
Flexural strength flexural modulus of elasticity compressive strength tensile strength shear strength	Mechanical properties of strength classes GL 24h, GL 30h, GL 28c. The allocation of the delivered components to the individual strength classes can be retrieved from the accompanying documents.
<b>Geometrical data</b>	Widths from 80 mm bis 280 mm Heights from 100 mm bis 1000 mm Lengths up to 18 m The respective product dimensions can be retrieved from the accompanying documents.
<b>Adhesive strength as</b>	
Flexural strength of finger joints Glued joint integrity of surface gluing	According to the specifications of EN 14080, table 2 and table 3 Delamination test according to EN 14080, Appendix C, Method B
<b>Durability of adhesive strength as</b>	
Type of wood, adhesive	Norway spruce (Picea Abies), silver fir (Abies Alba) Adhesive for finger joints: MUF, adhesive type I Adhesive for surface gluing: MUF, I90 GP 0,3 S
<b>Durability against biological infestation as</b>	
Natural durability class	According to EN 350-2
<b>Fire resistance as</b>	
Geometrical data Charring rate as <ul style="list-style-type: none"> <li>• Characteristic density</li> <li>• Type of wood</li> </ul>	see „Geometrical data“  Characteristic raw density of the respective strength class Norway spruce (Picea Abies), silver fir (Abies Alba)
<b>Fire behaviour as</b>	

Fire behaviour class	D-s2, d0 according to EN 14080, table 11
<b>Emission of formaldehyde as</b>	
Formaldehyde emission class	E 1
<b>Release of further hazardous substances</b>	
Release of further hazardous substances	not relevant

The performance of the above product corresponds to the declared performances. The above-stated manufacturer is solely responsible for the preparation of the performance declaration in accordance with the Regulation (EU) No. 305/2011.

**Untersigned for the manufacturer and on behalf of the manufacturer by:**

Reinhard Pabst  
**Managing Director**

Zeltweg, 11.11.2021

.....

**(Place and date of issue)**



.....

**(signature)**